

qbo  
polo

# polo

qbo


Downlight empotrable fijo. Compatible con lámparas GU10, GU5.3, módulo de LED (no incluido) y módulo COB. Se incluyen portalámparas GU10 y GU5.3.

*Stand recessed downlight. Compatible with GU10 and GU5.3 lamps, LED module (not included) and COB module. Gu10 and GU5.3 bulbholders included.*



COD.	DESC.
POLO00	POLO DOWNLIGHT RECESSED WHITE
POLO09	POLO DOWNLIGHT RECESSED BLACK

\*Módulo LED no incluido (Ver LED MODULE)  
LED module not included. (See LED MODULE).



polo

qbo

## POLO COB

### CRI 80

COD.	DESC.
POLOCOB12230159000	POLO COB 12,2W 3000K 15° RA90 WHITE
POLOCOB12230249000	POLO COB 12,2W 3000K 24° RA90 WHITE
POLOCOB12230159009	POLO COB 12,2W 3000K 15° RA90 BLACK
POLOCOB12230249009	POLO COB 12,2W 3000K 24° RA90 BLACK
POLOCOB12240159000	POLO COB 12,2W 4000K 15° RA90 WHITE
POLOCOB12240249000	POLO COB 12,2W 4000K 24° RA90 WHITE
POLOCOB12240159009	POLO COB 12,2W 4000K 15° RA90 BLACK
POLOCOB12240249009	POLO COB 12,2W 4000K 24° RA90 BLACK

### CRI 90



COD.	DESC.
POLOCOB12230159000	POLO COB 12,2W 3000K 15° RA90 WHITE
POLOCOB12230249000	POLO COB 12,2W 3000K 24° RA90 WHITE
POLOCOB12230159009	POLO COB 12,2W 3000K 15° RA90 BLACK
POLOCOB12230249009	POLO COB 12,2W 3000K 24° RA90 BLACK
POLOCOB12240159000	POLO COB 12,2W 4000K 15° RA90 WHITE
POLOCOB12240249000	POLO COB 12,2W 4000K 24° RA90 WHITE
POLOCOB12240159009	POLO COB 12,2W 4000K 15° RA90 BLACK
POLOCOB12240249009	POLO COB 12,2W 4000K 24° RA90 BLACK

#### NOT DIMMABLE FEEDER KIT

POLOCOBND NON DIMMABLE DRIVER FOR POLO COB 20W 350MA

#### DIMMABLE FEEDER KIT

POLOCOBDL DALI DRIVER FOR POLO COB 17W 350MA



# polo <sup>o</sup>

qbo


Downlight empotrable orientable. Compatible con lámparas GU10, GU5.3, módulo de LED (no incluido) y módulo COB. Se incluyen portalámparas GU10 y GU5.3.

*Orientable recessed downlight. Compatible with GU10 and GU5.3 lamps, LED module (not included) and COB module. GU10 and GU5.3 bulbholders included.*



COD.	DESC.
POLO000	POLO DOWNLIGHT RECESSED ORIENTABLE WHITE
POLO009	POLO DOWNLIGHT RECESSED ORIENTABLE BLACK

\*Módulo LED no incluido (Ver LED MODULE)  
LED module not included. (See LED MODULE).



polo

qbo

## POLO O COB

### CRI 80

COD.	DESC.
POLOOCOB12230159000	POLO O COB 12,2W 3000K 15° RA90 WHITE
POLOOCOB12230249000	POLO O COB 12,2W 3000K 24° RA90 WHITE
POLOOCOB12230159009	POLO O COB 12,2W 3000K 15° RA90 BLACK
POLOOCOB12230249009	POLO O COB 12,2W 3000K 24° RA90 BLACK
POLOOCOB12240159000	POLO O COB 12,2W 4000K 15° RA90 WHITE
POLOOCOB12240249000	POLO O COB 12,2W 4000K 24° RA90 WHITE
POLOOCOB12240159009	POLO O COB 12,2W 4000K 15° RA90 BLACK
POLOOCOB12240249009	POLO O COB 12,2W 4000K 24° RA90 BLACK

### CRI 90


COD.	DESC.
POLOOCOB12230159000	POLO O COB 12,2W 3000K 15° RA90 WHITE
POLOOCOB12230249000	POLO O COB 12,2W 3000K 24° RA90 WHITE
POLOOCOB12230159009	POLO O COB 12,2W 3000K 15° RA90 BLACK
POLOOCOB12230249009	POLO O COB 12,2W 3000K 24° RA90 BLACK
POLOOCOB12240159000	POLO O COB 12,2W 4000K 15° RA90 WHITE
POLOOCOB12240249000	POLO O COB 12,2W 4000K 24° RA90 WHITE
POLOOCOB12240159009	POLO O COB 12,2W 4000K 15° RA90 BLACK
POLOOCOB12240249009	POLO O COB 12,2W 4000K 24° RA90 BLACK

#### NOT DIMMABLE FEEDER KIT

POLOCOBND NON DIMMABLE DRIVER FOR POLO COB 20W 350MA

#### DIMMABLE FEEDER KIT

POLOCOBDL DALI DRIVER FOR POLO COB 17W 350MA



12W  
1824 - 1930 lm

3000k / 4000k  
CRI80 / CRI90  
15° / 24°

# polo IP55 LUMINAIRE

qbo

Luminaria LED IP55. Downlight empotrable fijo. Módulo de LED IP55 incluido. LED MODULE IP44 disponible.

*IP55 LED luminaire. Stand recessed downlight. IP55 LED module included. IP44 LED MODULE also available.*



12,2W (1170lm)

COD.	DESC.
POLODE1223024900055	POLO DOWNLIGHT RECESSED 12,2W 3000K 24° RA90 IP55 WHITE
POLODE1223024900955	POLO DOWNLIGHT RECESSED 12,2W 3000K 24° RA90 IP55 BLACK

## NOT DIMMABLE FEEDER KIT

TR87500572 LC 15W 350mA fixC SR SNC

## DIMMABLE FEEDER KIT

TR28000674 LCA 17W 250-700mA one4all SC PRE

TR28001110 I-SELECT 2 PLUG 350MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE

8,8W (840lm)

COD.	DESC.
POLODE883024900055	POLO DOWNLIGHT RECESSED 8,8W 3000K 24° RA90 IP55 WHITE
POLODE883024900955	POLO DOWNLIGHT RECESSED 8,8W 3000K 24° RA90 IP55 BLACK

## NOT DIMMABLE FEEDER KIT


TR87500580 LC 10W 250mA fixC SR SNC

## DIMMABLE FEEDER KIT

TR28000673 LCA 10W 150-400mA one4all SC PRE

TR28001106 I-SELECT 2 PLUG 250MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE



# polo <sup>o</sup> IP55 LUMINAIRE

qbo

Luminaria LED IP55. Downlight empotrable, orientable.  
Módulo de LED IP55 incluido. LED MODULE IP44 disponible.

*IP55 LED luminaire. Orientable recessed downlight. IP55 LED module included. IP44 LED MODULE also available.*



12,2W (1170lm)

COD.	DESC.
POLODEOR1223024900055	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 WHITE
POLODEOR1223024900955	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 BLACK
POLODEOR122302490010055	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 ALUMINIUM-WHITE
POLODEOR122302490020955	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 BRASS-BLACK

#### NOT DIMMABLE FEEDER KIT

TR87500572 LC 15W 350mA fixc SR SNC

#### DIMMABLE FEEDER KIT

TR28000674 LCA 17W 250-700mA one4all SC PRE

TR2800110 I-SELECT 2 PLUG 350MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE

8,8W (840lm)

COD.	DESC.
POLODEOR883024900055	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 WHITE
POLODEOR883024900955	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 BLACK
POLODEOR88302490010055	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 ALUMINIUM-WHITE
POLODEOR88302490020955	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 BRASS-BLACK

#### NOT DIMMABLE FEEDER KIT

TR87500580 LC 10W 250mA fixc SR SNC

#### DIMMABLE FEEDER KIT

TR28000673 LCA 10W 150-400mA one4all SC PRE

TR28001106 I-SELECT 2 PLUG 250MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE

