


qbo
coin


qbo

coin system




MULTIPLE
FITTINGS

coin F exterior bodies




coin system


coin F interior accesories




coin O exterior bodies




coin S exterior bodies




coin O interior accesories




coin S interior accesories





INSTALLATION EXAMPLE:
EXPOSITION ROOM



1_bodies





- a coin F (frame)
- a1 coin F (frame)
- b coin O (trimless)
- b1 coin O (trimless)
- c coin S (trimless)
- c1 coin S (trimless)



- a ayer Mini
- a1 ayer Mini
- b COB
- b1 COB
- c LT suspended
- c1 LT suspended

2_accesories



- a pointer projector
- a1 pointer module
- b led module
- b1 led module
- c COB
- c1 COB

coin^F

Downlight empotrable, fijo, con o sin marco. Compatible con múltiples accesorios: lámparas GU10 y GU5.3, módulo LED y COB, proyectores QBO

Trimless or framed stand recessed downlight. Compatible with multiple fittings: GU10 and GU5.3 lamps, LED module and COB, QBO projectors



FRAME BODY

COD.	DESC.
COINFF00	COIN DOWNLIGHT FIX FRAME WHITE
COINFF09	COIN DOWNLIGHT FIX FRAME BLACK

TRIMLESS BODY


COD.	DESC.
COINFT00	COIN DOWNLIGHT FIX TRIMLESS WHITE
COINFT09	COIN DOWNLIGHT FIX TRIMLESS BLACK

qbo



FRAME

TRIMLESS



LED DOWNLIGHT

coin^F

qbo

COIN F COB

CRI 80

COD.	DESC.
COINFCOB12230158000	COIN F COB 12,2W 3000K 15° RA80 WHITE
COINFCOB12230248000	COIN F COB 12,2W 3000K 24° RA80 WHITE
COINFCOB12230158009	COIN F COB 12,2W 3000K 15° RA80 BLACK
COINFCOB12230248009	COIN F COB 12,2W 3000K 24° RA80 BLACK
COINFCOB12230158002	COIN F COB 12,2W 3000K 15° RA80 BRASS
COINFCOB12230248002	COIN F COB 12,2W 3000K 24° RA80 BRASS
COINFCOB12240158000	COIN F COB 12,2W 4000K 15° RA80 WHITE
COINFCOB12240248000	COIN F COB 12,2W 4000K 24° RA80 WHITE
COINFCOB12240158009	COIN F COB 12,2W 4000K 15° RA80 BLACK
COINFCOB12240248009	COIN F COB 12,2W 4000K 24° RA80 BLACK
COINFCOB12240158002	COIN F COB 12,2W 4000K 15° RA80 BRASS
COINFCOB12240248002	COIN F COB 12,2W 4000K 24° RA80 BRASS

CRI 90


COD.	DESC.
COINFCOB12230159000	COIN F COB 12,2W 3000K 15° RA90 WHITE
COINFCOB12230249000	COIN F COB 12,2W 3000K 24° RA90 WHITE
COINFCOB12230159009	COIN F COB 12,2W 3000K 15° RA90 BLACK
COINFCOB12230249009	COIN F COB 12,2W 3000K 24° RA90 BLACK
COINFCOB12230159002	COIN F COB 12,2W 3000K 15° RA90 BRASS
COINFCOB12230249002	COIN F COB 12,2W 3000K 24° RA90 BRASS
COINFCOB12240159000	COIN F COB 12,2W 4000K 15° RA90 WHITE
COINFCOB12240249000	COIN F COB 12,2W 4000K 24° RA90 WHITE
COINFCOB12240159009	COIN F COB 12,2W 4000K 15° RA90 BLACK
COINFCOB12240249009	COIN F COB 12,2W 4000K 24° RA90 BLACK
COINFCOB12240159002	COIN F COB 12,2W 4000K 15° RA90 BRASS
COINFCOB12240249002	COIN F COB 12,2W 4000K 24° RA90 BRASS

NOT DIMMABLE FEEDER KIT



COINC0BND NON DIMMABLE DRIVER FOR COIN COB 20W 350MA

DIMMABLE FEEDER KIT

COINC0BDL DALI DRIVER FOR COIN COB 17W 350MA



Panel antideslumbrante incluido
Anti-glare included




LED DOWNLIGHT




COIN F G50

COD.	DESC.
COINFG5000	COIN F G50 WHITE
COINFG5009	COIN F G50 BLACK
COINFG5002	COIN F G50 BRASS

Compatible con lámparas GU10, GU5.3 y Módulo de LED (No incluidos).
Compatible with GU10 and GU5.3 lamps and LED module (Not included).



Módulo LED ejemplo (Ver qbo LED MODULE)
LED module example. (See qbo LED MODULE)









COIN F 3,5° MODULE



COD.	DESC.
35M1030359500.CF	3,5 MODULE 10W 3000K 3,5° RA95 WHITE COIN F
35M1030359509.CF	3,5 MODULE 10W 3000K 3,5° RA95 BLACK COIN F
35M1040359500.CF	3,5 MODULE 10W 4000K 3,5° RA95 WHITE COIN F
35M1040359509.CF	3,5 MODULE 10W 4000K 3,5° RA95 BLACK COIN F

Driver incluido / Driver included.




10W
890 - 900 lm

3000k / 4000k
CRI95
3,5°




ayer micro




7W
851 - 1047 lm
3000k / 4000k
CRI80 / CRI90
30°

ayer mini




12,7W
1385 - 1705 lm
3000k / 4000k
CRI80 / CRI90
10° / 24° / 36°

LT suspended




8.8W
1035 - 1222 lm
3000k
CRI80 / CRI90
15° / 24°

pointer



10W
870 - 900 lm
3000k / 4000k
CRI95
3,5°

ayer micro coin F



Códigos / Codes

qbo

CRI 80

COD.	DESC.
AYMC30308000.CF	AYER MICRO 7W 3000K 30° RA80 WHITE COIN F
AYMC30308009.CF	AYER MICRO 7W 3000K 30° RA80 BLACK COIN F
AYMC30308000.CF	AYER MICRO 7W 4000K 30° RA80 WHITE COIN F
AYMC30308009.CF	AYER MICRO 7W 4000K 30° RA80 BLACK COIN F

CRI 90

COD.	DESC.
AYMC30309000.CF	AYER MICRO 7W 3000K 30° RA90 WHITE COIN F
AYMC30309009.CF	AYER MICRO 7W 3000K 30° RA90 BLACK COIN F
AYMC30309000.CF	AYER MICRO 7W 4000K 30° RA90 WHITE COIN F
AYMC30309009.CF	AYER MICRO 7W 4000K 30° RA90 BLACK COIN F

Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.

NOT DIMMABLE FEEDER KIT

AYMCND NOT DIMMABLE DRIVER FOR AYER MICRO 8W 200MA

DIMMABLE FEEDER KIT

AYMCDL DALI DRIVER FOR AYER MICRO 10W 200MA




ANILLO / RING

INCLUIDOS. Indicar referencia de color al realizar el pedido.
INCLUDED. Indicate color reference when ordering.

COLOR		COD.
BLANCO / WHITE	○	AYMCRINGBL
LATON / BRASS	●	AYMCRINGLA
CROMO / CHROME	○	AYMCRINGCR
NEGRO / BLACK	●	AYMCRINGNG

ayer mini coin F



ANILLO / RING + ANTIDESLUMBRANTE / ANTI-GLARE

INCLUIDOS. Indicar referencia de color al realizar el pedido.
INCLUDED. Indicate color reference when ordering.

COLOR		COD.
BLANCO / WHITE	○	AYMNRINGBL
LATON / BRASS	●	AYMNRINGLA
CROMO / CHROME	○	AYMNRINGCR
NEGRO / BLACK	●	AYMNRINGNG

Códigos / Codes

qbo

CRI 80

COD.	DESC.
AYMN30108000.CF	AYER MINI 12,7W 3000K 10° RA80 WHITE COIN F
AYMN30248000.CF	AYER MINI 12,7W 3000K 24° RA80 WHITE COIN F
AYMN30368000.CF	AYER MINI 12,7W 3000K 36° RA80 WHITE COIN F
AYMN40108000.CF	AYER MINI 12,7W 4000K 10° RA80 WHITE COIN F
AYMN40248000.CF	AYER MINI 12,7W 4000K 24° RA80 WHITE COIN F
AYMN40368000.CF	AYER MINI 12,7W 4000K 36° RA80 WHITE COIN F
AYMN30108009.CF	AYER MINI 12,7W 3000K 10° RA80 BLACK COIN F
AYMN30248009.CF	AYER MINI 12,7W 3000K 24° RA80 BLACK COIN F
AYMN30368009.CF	AYER MINI 12,7W 3000K 36° RA80 BLACK COIN F
AYMN40108009.CF	AYER MINI 12,7W 4000K 10° RA80 BLACK COIN F
AYMN40248009.CF	AYER MINI 12,7W 4000K 24° RA80 BLACK COIN F
AYMN40368009.CF	AYER MINI 12,7W 4000K 36° RA80 BLACK COIN F

CRI 90

COD.	DESC.
AYMN3010900.CF	AYER MINI 12,7W 3000K 10° Ra90 white COIN F
AYMN3024900.CF	AYER MINI 12,7W 3000K 24° Ra90 white COIN F
AYMN30369000.CF	AYER MINI 12,7W 3000K 36° Ra90 white COIN F
AYMN40109000.CF	AYER MINI 12,7W 4000K 10° Ra90 white COIN F
AYMN40249000.CF	AYER MINI 12,7W 4000K 24° Ra90 white COIN F
AYMN40369000.CF	AYER MINI 12,7W 4000K 36° Ra90 white COIN F
AYMN30109009.CF	AYER MINI 12,7W 3000K 10° Ra90 black COIN F
AYMN30249009.CF	AYER MINI 12,7W 3000K 24° Ra90 black COIN F
AYMN30369009.CF	AYER MINI 12,7W 3000K 36° Ra90 black COIN F
AYMN40109009.CF	AYER MINI 12,7W 4000K 10° Ra90 black COIN F
AYMN40249009.CF	AYER MINI 12,7W 4000K 24° Ra90 black COIN F
AYMN40369009.CF	AYER MINI 12,7W 4000K 36° Ra90 black COIN F

Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.


NOT DIMMABLE FEEDER KIT

AYMND NOT DIMMABLE DRIVER FOR AYER MINI 20W 350MA

DIMMABLE FEEDER KIT

AYMNDL DALI DRIVER FOR AYER MINI 17W 350MA

LT SUSPENDED coin F



Códigos / Codes

qbo

CRI 80

COD.	DESC.
LTLEDS8830158002.CF	LT LED SUSPENDED 8,8W 3000K 15° RA80 BRASS COIN F
LTLEDS8830248002.CF	LT LED SUSPENDED 8,8W 3000K 24° RA80 BRASS COIN F
LTLEDS8830158000.CF	LT LED SUSPENDED 8,8W 3000K 15° RA80 WHITE COIN F
LTLEDS8830248000.CF	LT LED SUSPENDED 8,8W 3000K 24° RA80 WHITE COIN F
LTLEDS8830158009.CF	LT LED SUSPENDED 8,8W 3000K 15° RA80 BLACK COIN F
LTLEDS8830248009.CF	LT LED SUSPENDED 8,8W 3000K 24° RA80 BLACK COIN F

CRI 90

COD.	DESC.
LTLEDS8830159002.CF	LT LED SUSPENDED 8,8W 3000K 15° RA90 BRASS COIN F
LTLEDS8830249002.CF	LT LED SUSPENDED 8,8W 3000K 24° RA90 BRASS COIN F
LTLEDS8830159000.CF	LT LED SUSPENDED 8,8W 3000K 15° RA90 WHITE COIN F
LTLEDS8830249000.CF	LT LED SUSPENDED 8,8W 3000K 24° RA90 WHITE COIN F
LTLEDS8830159009.CF	LT LED SUSPENDED 8,8W 3000K 15° RA90 BLACK COIN F
LTLEDS8830249009.CF	LT LED SUSPENDED 8,8W 3000K 24° RA90 BLACK COIN F



Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.

NOT DIMMABLE FEEDER KIT	
LTLEDND	NOT DIMMABLE DRIVER FOR LT LED 10W 250MA
DIMMABLE FEEDER KIT	
LTLEDDL	DALI DRIVER FOR LT LED 10W 250MA

pointer coin F




Códigos / Codes

qbo

CRI 95

COD.	DESC.
PNT1030359500.CF	POINTER 10W 3000K 3,5° RA95 WHITE COIN F
PNT1030359509.CF	POINTER 10W 3000K 3,5° RA95 BLACK COIN F
PNT1040359500.CF	POINTER 10W 4000K 3,5° RA95 WHITE COIN F
PNT1040359509.CF	POINTER 10W 4000K 3,5° RA95 BLACK COIN F



Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.

NOT DIMMABLE FEEDER KIT

PNTND NOT DIMMABLE DRIVER FOR POINTER 10W 250MA

coin °

qbo

Downlight empotrable orientable, fijo, con o sin marco.
Compatible con múltiples accesorios: lámparas GU10 y
GU 5.3, módulo LED y COB

*Trimless or framed stand recessed orientable downlight.
Compatible with multiple fittings: GU10 and GU5.3 lamps,
LED module and COB*



FRAME BODY

COD.	DESC.
COINOF00	COIN DOWNLIGHT ORIENTABLE FRAME WHITE
COINOF09	COIN DOWNLIGHT ORIENTABLE FRAME BLACK



TRIMLESS BODY

COD.	DESC.
COINOT00	COIN DOWNLIGHT ORIENTABLE TRIMLESS WHITE
COINOT09	COIN DOWNLIGHT ORIENTABLE TRIMLESS BLACK

**Portalámparas GU10 y GU5.3 incluidos
GU10 and GU5.3 bulbholder included

FRAME

TRIMLESS



LED DOWNLIGHT

coin °

COIN O COB

CRI 80

COD.	DESC.
COINOCOB12230158000	COIN O COB 12,2W 3000K 24° RA80 WHITE
COINOCOB12230248000	COIN O COB 12,2W 3000K 15° RA80 WHITE
COINOCOB12230158009	COIN O COB 12,2W 3000K 24° RA80 BLACK
COINOCOB12230248009	COIN O COB 12,2W 3000K 15° RA80 BLACK
COINOCOB12230158002	COIN O COB 12,2W 3000K 24° RA80 BRASS
COINOCOB12230248002	COIN O COB 12,2W 3000K 15° RA80 BRASS
COINOCOB12240158000	COIN O COB 12,2W 4000K 24° RA80 WHITE
COINOCOB12240248000	COIN O COB 12,2W 4000K 15° RA80 WHITE
COINOCOB12240158009	COIN O COB 12,2W 4000K 24° RA80 BLACK
COINOCOB12240248009	COIN O COB 12,2W 4000K 15° RA80 BLACK
COINOCOB12240158002	COIN O COB 12,2W 4000K 24° RA80 BRASS
COINOCOB12240248002	COIN O COB 12,2W 4000K 15° RA80 BRASS

CRI 90


COD.	DESC.
COINOCOB12230159000	COIN O COB 12,2W 3000K 15° RA90 WHITE
COINOCOB12230249000	COIN O COB 12,2W 3000K 24° RA90 WHITE
COINOCOB12230159009	COIN O COB 12,2W 3000K 15° RA90 BLACK
COINOCOB12230249009	COIN O COB 12,2W 3000K 24° RA90 BLACK
COINOCOB12230159002	COIN O COB 12,2W 3000K 15° RA90 BRASS
COINOCOB12230249002	COIN O COB 12,2W 3000K 24° RA90 BRASS
COINOCOB12240159000	COIN O COB 12,2W 4000K 15° RA90 WHITE
COINOCOB12240249000	COIN O COB 12,2W 4000K 24° RA90 WHITE
COINOCOB12240159009	COIN O COB 12,2W 4000K 15° RA90 BLACK
COINOCOB12240249009	COIN O COB 12,2W 4000K 24° RA90 BLACK
COINOCOB12240159002	COIN O COB 12,2W 4000K 15° RA90 BRASS
COINOCOB12240249002	COIN O COB 12,2W 4000K 24° RA90 BRASS

NOT DIMMABLE FEEDER KIT

COINCOBND NON DIMMABLE DRIVER FOR COIN COB 20W 350MA

DIMMABLE FEEDER KIT




COINCOBDL DALI DRIVER FOR COIN COB 17W 350MA



Panel antideslumbrante incluido
Anti-glare included

LED DOWNLIGHT

qbo








COIN O G50

COD.	DESC.
COINOG5000	COIN O G50 WHITE
COINOG5009	COIN O G50 BLACK
COINOG5002	COIN O G50 BRASS

Compatible con lámparas GU10, GU5.3 y Módulo de LED (No incluidos).
Compatible with GU10 and GU5.3 lamps and LED module (Not included).



Módulo LED ejemplo (Ver qbo LED MODULE)
LED module example. (See qbo LED MODULE)








COIN O G30

COD.	DESC.
COINOG3000	COIN O G30 WHITE
COINOG3009	COIN O G30 BLACK

Modulo Cob No incluido.
Cob module Not include.



No incluido (Ver COIN S COB module) / Not included (See COIN S COB module)



coin S

qbo

Downlight empotrable, fijo, con o sin marco. Compuesto por dos cuerpos, exterior e interior en diferentes acabados. El cuerpo interior se desliza dentro del exterior pudiendo situarse en tres posiciones gracias a su sistema de fijación mediante rótulas (LED y driver incluidos)

Trimless or framed stand recessed downlight. Composed by two bodies, exterior and interior, in different finishes. The inner body slides inside the outside and can be placed in three positions thanks to its fixing system by ball joints (LED and driver included).




FRAME BODY



COD.	DESC.
COINSF00	COIN DOWNLIGHT S FRAME WHITE
COINSF09	COIN DOWNLIGHT S FRAME BLACK

TRIMLESS BODY



COD.	DESC.
COINST00	COIN DOWNLIGHT S TRIMLESS WHITE
COINST09	COIN DOWNLIGHT S TRIMLESS BLACK



FRAME



TRIMLESS



coin S

qbo




COIN S COB

CRI 80

COD.	DESC.
COINS0730368000	COIN S COB 7W 3000K 36° RA80 WHITE
COINS0730368009	COIN S COB 7W 3000K 36° RA80 BLACK
COINS0740368000	COIN S COB 7W 4000K 36° RA80 WHITE
COINS0740368009	COIN S COB 7W 4000K 36° RA80 BLACK

CRI 90

COD.	DESC.
COINS0730369000	COIN S COB 7W 3000K 36° RA90 WHITE
COINS0730369009	COIN S COB 7W 3000K 36° RA90 BLACK
COINS0740369000	COIN S COB 7W 4000K 36° RA90 WHITE
COINS0740369009	COIN S COB 7W 4000K 36° RA90 BLACK







NOT DIMMABLE FEEDER KIT

COINSCOBND NOT DIMMABLE DRIVER FOR COIN S 8W 200MA


DIMMABLE FEEDER KIT

COINSCOBDL DALI DRIVER FOR COIN S 10W 200MA






ayer micro




7W
851 - 1047 lm
 3000k / 4000k
 CRI80 / CRI90
 30°

ayer mini




12,7W
1385 - 1705 lm
 3000k / 4000k
 CRI80 / CRI90
 10° / 24° / 36°

LT suspended




8.8W
1035 - 1222 lm
 3000k
 CRI80 / CRI90
 10° / 24° / 36°

pointer



10W
870 - 900 lm
 3000k / 4000k
 CRI95
 3,5°

ayer micro coin S



Códigos / Codes

qbo

CRI 80

COD.	DESC.
AYMC30308000.CS	AYER MICRO 7W 3000K 30° RA80 WHITE COIN S
AYMC30308009.CS	AYER MICRO 7W 3000K 30° RA80 BLACK COIN S
AYMC30308000.CS	AYER MICRO 7W 4000K 30° RA80 WHITE COIN S
AYMC30308009.CS	AYER MICRO 7W 4000K 30° RA80 BLACK COIN S

CRI 90

COD.	DESC.
AYMC30309000.CS	AYER MICRO 7W 3000K 30° RA90 WHITE COIN S
AYMC30309009.CS	AYER MICRO 7W 3000K 30° RA90 BLACK COIN S
AYMC30309000.CS	AYER MICRO 7W 4000K 30° RA90 WHITE COIN S
AYMC30309009.CS	AYER MICRO 7W 4000K 30° RA90 BLACK COIN S

Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.

NOT DIMMABLE FEEDER KIT

AYMCND NOT DIMMABLE DRIVER FOR AYER MICRO 8W 200M

DIMMABLE FEEDER KIT

AYMCDL DALI DRIVER FOR AYER MICRO 10W 200MA




ANILLO / RING

INCLUIDOS. Indicar referencia de color al realizar el pedido.
INCLUDED. Indicate color reference when ordering.

COLOR		COD.
BLANCO / WHITE	○	AYMCRINGBL
LATON / BRASS	●	AYMCRINGLA
CROMO / CHROME	○	AYMCRINGCR
NEGRO / BLACK	●	AYMCRINGNG

ayer mini coin S



ANILLO / RING + ANTIDESLUMBRANTE / ANTI-GLARE

INCLUIDOS. Indicar referencia de color al realizar el pedido.
INCLUDED. Indicate color reference when ordering.

COLOR		COD.
BLANCO / WHITE	○	AYMNRINGBL
LATON / BRASS	●	AYMNRINGLA
CROMO / CHROME	○	AYMNRINGCR
NEGRO / BLACK	●	AYMNRINGNG

Códigos / Codes

qbo

CRI 80

COD.	DESC.
AYMN30108000.CS	AYER MINI 12,7W 3000K 10° RA80 WHITE COIN S
AYMN30248000.CS	AYER MINI 12,7W 3000K 24° RA80 WHITE COIN S
AYMN30368000.CS	AYER MINI 12,7W 3000K 36° RA80 WHITE COIN S
AYMN40108000.CS	AYER MINI 12,7W 4000K 10° RA80 WHITE COIN S
AYMN40248000.CS	AYER MINI 12,7W 4000K 24° RA80 WHITE COIN S
AYMN40368000.CS	AYER MINI 12,7W 4000K 36° RA80 WHITE COIN S
AYMN30108009.CS	AYER MINI 12,7W 3000K 10° RA80 BLACK COIN S
AYMN30248009.CS	AYER MINI 12,7W 3000K 24° RA80 BLACK COIN S
AYMN30368009.CS	AYER MINI 12,7W 3000K 36° RA80 BLACK COIN S
AYMN40108009.CS	AYER MINI 12,7W 4000K 10° RA80 BLACK COIN S
AYMN40248009.CS	AYER MINI 12,7W 4000K 24° RA80 BLACK COIN S
AYMN40368009.CS	AYER MINI 12,7W 4000K 36° RA80 BLACK COIN S

CRI 90

COD.	DESC.
AYMN30109000.CS	AYER MINI 12,7W 3000K 10° RA90 WHITE COIN S
AYMN30249000.CS	AYER MINI 12,7W 3000K 24° RA90 WHITE COIN S
AYMN30369000.CS	AYER MINI 12,7W 3000K 36° RA90 WHITE COIN S
AYMN40109000.CS	AYER MINI 12,7W 4000K 10° RA90 WHITE COIN S
AYMN40249000.CS	AYER MINI 12,7W 4000K 24° RA90 WHITE COIN S
AYMN40369000.CS	AYER MINI 12,7W 4000K 36° RA90 WHITE COIN S
AYMN30109009.CS	AYER MINI 12,7W 3000K 10° RA90 BLACK COIN S
AYMN30249009.CS	AYER MINI 12,7W 3000K 24° RA90 BLACK COIN S
AYMN30369009.CS	AYER MINI 12,7W 3000K 36° RA90 BLACK COIN S
AYMN40109009.CS	AYER MINI 12,7W 4000K 10° RA90 BLACK COIN S
AYMN40249009.CS	AYER MINI 12,7W 4000K 24° RA90 BLACK COIN S
AYMN40369009.CS	AYER MINI 12,7W 4000K 36° RA90 BLACK COIN S

Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.


NOT DIMMABLE FEEDER KIT

AYMND NOT DIMMABLE DRIVER FOR AYER MINI 20W 350MA

DIMMABLE FEEDER KIT

AYMNDL DALI DRIVER FOR AYER MINI 17W 350MA

LT SUSPENDED coin S



Códigos / Codes

qbo

CRI 80

COD.	DESC.
LTLEDS8830158002.CS	LT LED SUSPENDED 8,8W 3000K 15° RA80 BRASS COIN S
LTLEDS8830248002.CS	LT LED SUSPENDED 8,8W 3000K 24° RA80 BRASS COIN S
LTLEDS8830158000.CS	LT LED SUSPENDED 8,8W 3000K 15° RA80 WHITE COIN S
LTLEDS8830248000.CS	LT LED SUSPENDED 8,8W 3000K 24° RA80 WHITE COIN S
LTLEDS8830158009.CS	LT LED SUSPENDED 8,8W 3000K 15° RA80 BLACK COIN S
LTLEDS8830248009.CS	LT LED SUSPENDED 8,8W 3000K 24° RA80 BLACK COIN S

CRI 90

COD.	DESC.
LTLEDS8830159002.CS	LT LED SUSPENDED 8,8W 3000K 15° RA90 BRASS COIN S
LTLEDS8830249002.CS	LT LED SUSPENDED 8,8W 3000K 24° RA90 BRASS COIN S
LTLEDS8830159000.CS	LT LED SUSPENDED 8,8W 3000K 15° RA90 WHITE COIN S
LTLEDS8830249000.CS	LT LED SUSPENDED 8,8W 3000K 24° RA90 WHITE COIN S
LTLEDS8830159009.CS	LT LED SUSPENDED 8,8W 3000K 15° RA90 BLACK COIN S
LTLEDS8830249009.CS	LT LED SUSPENDED 8,8W 3000K 24° RA90 BLACK COIN S



Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.

NOT DIMMABLE FEEDER KIT	
LTLEDND	NOT DIMMABLE DRIVER FOR LT LED 10W 250MA
DIMMABLE FEEDER KIT	
LTLED DL	DALI DRIVER FOR LT LED 10W 250MA

pointer coin S




Códigos / Codes

qbo

CRI 95

COD.	DESC.
PNT1030359500.CS	POINTER 10W 3000K 3,5° RA95 WHITE COIN S
PNT1030359509.CS	POINTER 10W 3000K 3,5° RA95 BLACK COIN S
PNT1040359500.CS	POINTER 10W 4000K 3,5° RA95 WHITE COIN S
PNT1040359509.CS	POINTER 10W 4000K 3,5° RA95 BLACK COIN S



Otras temperaturas de color, acabados y aperturas disponibles bajo pedido.
Other color temperatures, finishes and opening degrees available on request.

NOT DIMMABLE FEEDER KIT

PNTND NOT DIMMABLE DRIVER FOR POINTER 10W 250MA

coin^{FT} IP55 LUMINAIRE

qbo

Luminaria LED IP55. Downlight empotrable, fijo y sin marco.
Módulo de LED IP55 incluido. LED MODULE IP44 disponible.

*IP55 LED luminaire. Trimless stand recessed downlight. IP55
LED module included. IP44 LED MODULE also available.*



12,2W (1170lm)

COD.	DESC.
COINF1223024905500	COIN F TRIMLESS 12,2W 3000K 24° RA90 IP55 WHITE
COINF1223024905509	COIN F TRIMLESS 12,2W 3000K 24° RA90 IP55 BLACK

NOT DIMMABLE FEEDER KIT

TR87500572 LC 15W 350MA FIXC SR SNC

DIMMABLE FEEDER KIT

TR28000674 LCA 17W 250-700MA ONE4ALL SC PRE

TR28001110 I-SELECT 2 PLUG 350MA BL

TR28001168 ACU SC 43X30MM CLIP-ON SR SET

8,8W (840lm)

COD.	DESC.
COINF1223024905500	COIN F TRIMLESS 8,8W 3000K 24° RA90 IP55 WHITE
COINF1223024905509	COIN F TRIMLESS 8,8W 3000K 24° RA90 IP55 BLACK

NOT DIMMABLE FEEDER KIT


TR87500580 LC 10W 250MA FIXC SR SNC

DIMMABLE FEEDER KIT




TR28000673 LCA 10W 150-400MA ONE4ALL SC PRE

TR28001106 I-SELECT 2 PLUG 250MA BL

TR28001168 ACU SC 43X30MM CLIP-ON SR SET



LED DOWNLIGHT



coin^{FF} IP55 LUMINAIRE

qbo

Luminaria LED IP55. Downlight empotrable, fijo y con marco.
Módulo de LED IP55 incluido. LED MODULE IP44 disponible.

*IP55 LED luminaire. Framed stand recessed downlight. IP55
LED module included. IP44 LED MODULE also available.*



12,2W (1170lm)

COD.	DESC.
COINFF1223024905500	COIN F FRAME 12,2W 3000K 24° RA90 IP55 WHITE
COINFF1223024905509	COIN F FRAME12,2W 3000K 24° RA90 IP55 BLACK

NOT DIMMABLE FEEDER KIT

TR87500572 LC 15W 350MA FIXC SR SNC

DIMMABLE FEEDER KIT

TR28000674 LCA 17W 250-700MA ONE4ALL SC PRE

TR28001110 I-SELECT 2 PLUG 350MA BL

TR28001168 ACU SC 43X30MM CLIP-ON SR SET

8,8W (840lm)

COD.	DESC.
COINFF883024905500	COIN F FRAME 8,8W 3000K 24° RA90 IP55 WHITE
COINFF883024905509	COIN F FRAME 8,8W 3000K 24° RA90 IP55 BLACK

NOT DIMMABLE FEEDER KIT


TR87500580 LC 10W 250MA FIXC SR SNC

DIMMABLE FEEDER KIT




TR28000673 LCA 10W 150-400MA ONE4ALL SC PRE

TR28001106 I-SELECT 2 PLUG 250MA BL


TR28001168 ACU SC 43X30MM CLIP-ON SR SET




LED DOWNLIGHT



1



2



3



4



coin
DOWNLIGHT LED

