


qbo
gt3

qbo



FRAME

TRIMLESS


gt3

gt3

qbo

Perfil de aluminio extruido con acabado anodizado de 20 micras para montaje en superficie, suspendido o empotrado. Contiene una bandeja que se desliza en el interior del perfil para albergar hasta tres tiras de LED. Modelos disponibles para empotrar tanto con marco como sin el. El perfil cuenta con tapas finales y puede montarse en forma continua mediante uniones lineales y angulares. Dimensiones: 32x75x3000mm.

20 micron anodized extruded aluminum profile that can be surface mounted, suspended or recessed. It contains a tray that slides inside the profile to hold up to three LED strips. Models available for recessed installation both with and without frame. The profile can be closed with end caps and can be arranged continuously using linear or angular unions. Dimensions: 32x75x3000mm







TRIMLESS

FRAME

COD.	DESC.
QBOPGT3F	PROFILE GT3 FRAME 3000MM
QBOPGT3T	PROFILE GT3 TRIMLESS 3000MM
QBOPGT3P	PROFILE GT3 PLATE 3000MM
QBOPGT3C	PROFILE GT3 END CAP ALUMINIUM (X2)
QBOP50DF	PROFILE 50 DIFFUSER FROSTED 3000MM
QBOP05UL	PROFILE 05 10X3MM LINEAR UNION (1 UNIT)
QBOP05UAP	PROFILE 05 10X3MM ANGULAR UNION FLAT (1 UNIT)

Diferentes acabados y opciones de protección IP disponibles bajo pedido
Other finishes and IP ratings available on request







COD.	DESC.
QBOPGT3F	PROFILE GT3 FIXING CLIP

COD.	DESC.
QBOKITSUSPENSIONCH	KIT SUSPENSION 3M ⁽¹⁾
QBOPGT3F	PROFILE GT3 FIXING CLIP

⁽¹⁾ Otras longitudes consultar / Consult for others lenghts.

FRAME

TRIMLESS



COD.	DESC.
QBOPGT3G	PROFILE GT3 SPRING RECESSED

gt3 SPOT LUMINARIE

Luminaria lineal conformada por múltiples downlights, en versión con y sin marco. Se compone de placa LED Tridonic fabricada en Europa de alta eficiencia y fácil disipación de calor, así como de un reflector LEDIL que garantiza la mayor calidad de emisión de luz y un bajo nivel de deslumbramiento, idóneo para espacios en los que la normativa lo requiera.

Fácil instalación en perfil mediante pletina magnética. Driver remoto. Disponible en versiones no regulable, regulable dali y tunable white. Longitudes disponibles: 15cm, 29cm, 57cm y 1130cm.


Linear luminaires composed of multiple downlights. Made out of a combination of Tridonic LED plate manufactured in Europe with high efficiency and easy heat dissipation, as well as a LEDIL reflector that guarantees the highest quality of light emission and a low level of glare, ideal for spaces where regulations require it.

Easy installation in profile by magnetic plate. Remote feeder kit. Available in non-dimmable, dimmable dali and tunable white versions. Available lengths: 15cm, 29cm, 57cm and 1130cm.

qbo



PROFILE GT3 FRAME SPOT



PROFILE GT3 FRAME SPOT 4 (150mm)

COD.	DESC.
QBOPGT3FSP4305080.150	PROFILE GT3 FRAME SPOT4 6,7W 3000K 50° RA80 1130LM 150MM
QBOPGT3FSP4308080.150	PROFILE GT3 FRAME SPOT4 6,7W 3000K 80° RA80 1130LM 150MM
QBOPGT3FSP4405080.150	PROFILE GT3 FRAME SPOT4 6,7W 4000K 50° RA80 1130LM 150MM
QBOPGT3FSP4408080.150	PROFILE GT3 FRAME SPOT4 6,7W 4000K 80° RA80 1130LM 150MM
QBOPGT3FSP427655080.150	PROFILE GT3 FRAME SPOT4 3,9W 2700K-6500K 50° RA80 570LM-620LM 150MM
QBOPGT3FSP427658080.150	PROFILE GT3 FRAME SPOT4 3,9W 2700K-6500K 80° RA80 570LM-620LM 150MM

PROFILE GT3 FRAME SPOT 7 (290mm)

COD.	DESC.
QBOPGT3FSP7305080.290	PROFILE GT3 FRAME SPOT7 11,8W 3000K 50° RA80 2070LM 290MM
QBOPGT3FSP7308080.290	PROFILE GT3 FRAME SPOT7 11,8W 3000K 80° RA80 2070LM 290MM
QBOPGT3FSP7405080.290	PROFILE GT3 FRAME SPOT7 11,8W 4000K 50° RA80 2160LM 290MM
QBOPGT3FSP7408080.290	PROFILE GT3 FRAME SPOT7 11,8W 4000K 80° RA80 2160LM 290MM
QBOPGT3FSP727655080.290	PROFILE GT3 FRAME SPOT7 5,9W 2700K-6500K 50° RA80 1000LM-1080LM 290MM
QBOPGT3FSP727658080.290	PROFILE GT3 FRAME SPOT7 5,9W 2700K-6500K 80° RA80 1000LM-1080LM 290MM


PROFILE GT3 FRAME SPOT 14 (570mm)

COD.	DESC.
QBOPGT3FSP14305080.570	PROFILE GT3 FRAME SPOT14 23,6W 3000K 50° RA80 4140LM 570MM
QBOPGT3FSP14308080.570	PROFILE GT3 FRAME SPOT14 23,6W 3000K 80° RA80 4140LM 570MM
QBOPGT3FSP14405080.570	PROFILE GT3 FRAME SPOT14 23,6W 4000K 50° RA80 4330LM 570MM
QBOPGT3FSP14408080.570	PROFILE GT3 FRAME SPOT14 23,6W 4000K 80° RA80 4330LM 570MM
QBOPGT3FSP1427655080.570	PROFILE GT3 FRAME SPOT14 11,8W 2700K-6500K 50° RA80 2010LM-2170LM 570MM
QBOPGT3FSP1427658080.570	PROFILE GT3 FRAME SPOT14 11,8W 2700K-6500K 80° RA80 2010LM-2170LM 570MM

PROFILE GT3 FRAME SPOT 28 (1130mm)

COD.	DESC.
QBOPGT3FSP28305080.1130	PROFILE GT3 FRAME SPOT28 47,2W 3000K 50° RA80 4140LM 1130MM
QBOPGT3FSP28308080.1130	PROFILE GT3 FRAME SPOT28 47,2W 3000K 80° RA80 4140LM 1130MM
QBOPGT3FSP28405080.1130	PROFILE GT3 FRAME SPOT28 47,2W 4000K 50° RA80 4330LM 1130MM
QBOPGT3FSP28408080.1130	PROFILE GT3 FRAME SPOT28 47,2W 4000K 80° RA80 4330LM 1130MM
QBOPGT3FSP2827655080.1130	PROFILE GT3 FRAME SPOT28 23,6W 2700K-6500K 50° RA80 2010LM-2170LM 1130MM
QBOPGT3FSP2827658080.1130	PROFILE GT3 FRAME SPOT28 23,6W 2700K-6500K 80° RA80 2010LM-2170LM 1130MM

PROFILE GT3 TRIMLESS SPOT



PROFILE GT3 TRIMLESS SPOT 4 (150mm)

COD.	DESC.
QBOPGT3TSP4305080.150	PROFILE GT3 TRIMLESS SPOT4 6,7W 3000K 50° RA80 1130LM 150MM
QBOPGT3TSP4308080.150	PROFILE GT3 TRIMLESS SPOT4 6,7W 3000K 80° RA80 1130LM 150MM
QBOPGT3TSP4405080.150	PROFILE GT3 TRIMLESS SPOT4 6,7W 4000K 50° RA80 1130LM 150MM
QBOPGT3TSP4408080.150	PROFILE GT3 TRIMLESS SPOT4 6,7W 4000K 80° RA80 1130LM 150MM
QBOPGT3TSP427655080.150	PROFILE GT3 TRIMLESS SPOT4 3,9W 2700K-6500K 50° RA80 570LM-620LM 150MM
QBOPGT3TSP427658080.150	PROFILE GT3 TRIMLESS SPOT4 3,9W 2700K-6500K 80° RA80 570LM-620LM 150MM

PROFILE GT3 TRIMLESS SPOT 14 (570mm)

COD.	DESC.
QBOPGT3TSP14305080.570	PROFILE GT3 TRIMLESS SPOT14 23,6W 3000K 50° RA80 4140LM 570MM
QBOPGT3TSP14308080.570	PROFILE GT3 TRIMLESS SPOT14 23,6W 3000K 80° RA80 4140LM 570MM
QBOPGT3TSP14405080.570	PROFILE GT3 TRIMLESS SPOT14 23,6W 4000K 50° RA80 4330LM 570MM
QBOPGT3TSP14408080.570	PROFILE GT3 TRIMLESS SPOT14 23,6W 4000K 80° RA80 4330LM 570MM
QBOPGT3TSP1427655080.570	PROFILE GT3 TRIMLESS SPOT14 11,8W 2700K-6500K 50° RA80 2010LM-2170LM 570MM
QBOPGT3TSP1427658080.570	PROFILE GT3 TRIMLESS SPOT14 11,8W 2700K-6500K 80° RA80 2010LM-2170LM 570MM

PROFILE GT3 TRIMLESS SPOT 7 (290mm)

COD.	DESC.
QBOPGT3TSP7305080.290	PROFILE GT3 TRIMLESS SPOT7 11,8W 3000K 50° RA80 2070LM 290MM
QBOPGT3TSP7308080.290	PROFILE GT3 TRIMLESS SPOT7 11,8W 3000K 80° RA80 2070LM 290MM
QBOPGT3TSP7405080.290	PROFILE GT3 TRIMLESS SPOT7 11,8W 4000K 50° RA80 2160LM 290MM
QBOPGT3TSP7408080.290	PROFILE GT3 TRIMLESS SPOT7 11,8W 4000K 80° RA80 2160LM 290MM
QBOPGT3TSP727655080.290	PROFILE GT3 TRIMLESS SPOT7 5,9W 2700K-6500K 50° RA80 1000LM-1080LM 290MM
QBOPGT3TSP727658080.290	PROFILE GT3 TRIMLESS SPOT7 5,9W 2700K-6500K 80° RA80 1000LM-1080LM 290MM

PROFILE GT3 TRIMLESS SPOT 28 (1130mm)



COD.	DESC.
QBOPGT3TSP28305080.1130	PROFILE GT3 TRIMLESS SPOT28 47,2W 3000K 50° RA80 4140LM 1130MM
QBOPGT3TSP28308080.1130	PROFILE GT3 TRIMLESS SPOT28 47,2W 3000K 80° RA80 4140LM 1130MM
QBOPGT3TSP28405080.1130	PROFILE GT3 TRIMLESS SPOT28 47,2W 4000K 50° RA80 4330LM 1130MM
QBOPGT3TSP28408080.1130	PROFILE GT3 TRIMLESS SPOT28 47,2W 4000K 80° RA80 4330LM 1130MM
QBOPGT3TSP2827655080.1130	PROFILE GT3 TRIMLESS SPOT28 23,6W 2700K-6500K 50° RA80 2010LM-2170LM 1130MM
QBOPGT3TSP2827658080.1130	PROFILE GT3 TRIMLESS SPOT28 23,6W 2700K-6500K 80° RA80 2010LM-2170LM 1130MM

PROFILE GT3 SPOT DRIVERS



DRIVER

Remoto / Remote



NOT DIMMABLE:

COD.	DESC.
SPOT4ND	SPOT4 NOT DIMMABLE DRIVER 10W 300mA
SPOT7ND	SPOT7 NOT DIMMABLE DRIVER 25W 300mA
SPOT14ND	SPOT14 NOT DIMMABLE DRIVER 50W 600mA
SPOT28ND	SPOT28 NOT DIMMABLE DRIVER 75W 1200mA

DIMMABLE:

COD.	DESC.
SPOT4DL	SPOT4 DALI DRIVER 10W 300mA
SPOT7DL	SPOT7 DALI DRIVER 35W 300mA
SPOT14DL	SPOT14 DALI DRIVER 35W 600mA
SPOT28DL	SPOT28 DALI DRIVER 75W 1200mA

TUNEABLE WHITE:

COD.	DESC.
SPOT4TW	SPOT4 TUNEABLE WHITE DRIVER 15W 150mA
SPOT7TW	SPOT7 TUNEABLE WHITE DRIVER 15W 150mA
SPOT14TW	SPOT14 TUNEABLE WHITE DRIVER 15W 300mA
SPOT28TW	SPOT28 TUNEABLE WHITE DRIVER 50W 600mA

