

qbo
polo

polo

qbo


Downlight empotrable fijo. Compatible con lámparas GU10, GU5.3, módulo de LED (no incluido) y módulo COB. Se incluyen portalámparas GU10 y GU5.3.

Stand recessed downlight. Compatible with GU10 and GU5.3 lamps, LED module (not included) and COB module. Gu10 and GU5.3 bulbholders included.



COD.	DESC.
POLO00	POLO DOWNLIGHT RECESSED WHITE
POLO09	POLO DOWNLIGHT RECESSED BLACK

*Módulo LED no incluido (Ver LED MODULE)
LED module not included. (See LED MODULE).



polo

qbo

POLO COB

CRI 80

COD.	DESC.
POLOCOB12230159000	POLO COB 12,2W 3000K 15° RA90 WHITE
POLOCOB12230249000	POLO COB 12,2W 3000K 24° RA90 WHITE
POLOCOB12230159009	POLO COB 12,2W 3000K 15° RA90 BLACK
POLOCOB12230249009	POLO COB 12,2W 3000K 24° RA90 BLACK
POLOCOB12240159000	POLO COB 12,2W 4000K 15° RA90 WHITE
POLOCOB12240249000	POLO COB 12,2W 4000K 24° RA90 WHITE
POLOCOB12240159009	POLO COB 12,2W 4000K 15° RA90 BLACK
POLOCOB12240249009	POLO COB 12,2W 4000K 24° RA90 BLACK

CRI 90



COD.	DESC.
POLOCOB12230159000	POLO COB 12,2W 3000K 15° RA90 WHITE
POLOCOB12230249000	POLO COB 12,2W 3000K 24° RA90 WHITE
POLOCOB12230159009	POLO COB 12,2W 3000K 15° RA90 BLACK
POLOCOB12230249009	POLO COB 12,2W 3000K 24° RA90 BLACK
POLOCOB12240159000	POLO COB 12,2W 4000K 15° RA90 WHITE
POLOCOB12240249000	POLO COB 12,2W 4000K 24° RA90 WHITE
POLOCOB12240159009	POLO COB 12,2W 4000K 15° RA90 BLACK
POLOCOB12240249009	POLO COB 12,2W 4000K 24° RA90 BLACK

NOT DIMMABLE FEEDER KIT

POLOCOBND NON DIMMABLE DRIVER FOR POLO COB 20W 350MA

DIMMABLE FEEDER KIT

POLOCOBDL DALI DRIVER FOR POLO COB 17W 350MA



polo °

qbo


Downlight empotrable orientable. Compatible con lámparas GU10, GU5.3, módulo de LED (no incluido) y módulo COB. Se incluyen portalámparas GU10 y GU5.3.

Orientable recessed downlight. Compatible with GU10 and GU5.3 lamps, LED module (not included) and COB module. GU10 and GU5.3 bulbholders included.



COD.	DESC.
POLOO00	POLO DOWNLIGHT RECESSED ORIENTABLE WHITE
POLOO09	POLO DOWNLIGHT RECESSED ORIENTABLE BLACK

*Módulo LED no incluido (Ver LED MODULE)
LED module not included. (See LED MODULE).



polo

POLO O COB

CRI 80

COD.	DESC.
POLOOCOB12230159000	POLO O COB 12,2W 3000K 15° RA90 WHITE
POLOOCOB12230249000	POLO O COB 12,2W 3000K 24° RA90 WHITE
POLOOCOB12230159009	POLO O COB 12,2W 3000K 15° RA90 BLACK
POLOOCOB12230249009	POLO O COB 12,2W 3000K 24° RA90 BLACK
POLOOCOB12240159000	POLO O COB 12,2W 4000K 15° RA90 WHITE
POLOOCOB12240249000	POLO O COB 12,2W 4000K 24° RA90 WHITE
POLOOCOB12240159009	POLO O COB 12,2W 4000K 15° RA90 BLACK
POLOOCOB12240249009	POLO O COB 12,2W 4000K 24° RA90 BLACK

CRI 90


COD.	DESC.
POLOOCOB12230159000	POLO O COB 12,2W 3000K 15° RA90 WHITE
POLOOCOB12230249000	POLO O COB 12,2W 3000K 24° RA90 WHITE
POLOOCOB12230159009	POLO O COB 12,2W 3000K 15° RA90 BLACK
POLOOCOB12230249009	POLO O COB 12,2W 3000K 24° RA90 BLACK
POLOOCOB12240159000	POLO O COB 12,2W 4000K 15° RA90 WHITE
POLOOCOB12240249000	POLO O COB 12,2W 4000K 24° RA90 WHITE
POLOOCOB12240159009	POLO O COB 12,2W 4000K 15° RA90 BLACK
POLOOCOB12240249009	POLO O COB 12,2W 4000K 24° RA90 BLACK

NOT DIMMABLE FEEDER KIT

POLOCOBND NON DIMMABLE DRIVER FOR POLO COB 20W 350MA

DIMMABLE FEEDER KIT

POLOCOBDL DALI DRIVER FOR POLO COB 17W 350MA



12W
1824 - 1930 lm

3000k / 4000k
CRI80 / CRI90
15° / 24°

polo IP55 LUMINAIRE

qbo

Luminaria LED IP55. Downlight empotrable fijo. Módulo de LED IP55 incluido. LED MODULE IP44 disponible.

IP55 LED luminaire. Stand recessed downlight. IP55 LED module included. IP44 LED MODULE also available.



12,2W (1170lm)

COD.	DESC.
POLODE1223024900055	POLO DOWNLIGHT RECESSED 12,2W 3000K 24° RA90 IP55 WHITE
POLODE1223024900955	POLO DOWNLIGHT RECESSED 12,2W 3000K 24° RA90 IP55 BLACK

NOT DIMMABLE FEEDER KIT

TR87500572 LC 15W 350mA fixC SR SNC

DIMMABLE FEEDER KIT

TR28000674 LCA 17W 250-700mA one4all SC PRE

TR28001110 I-SELECT 2 PLUG 350MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE

8,8W (840lm)

COD.	DESC.
POLODE883024900055	POLO DOWNLIGHT RECESSED 8,8W 3000K 24° RA90 IP55 WHITE
POLODE883024900955	POLO DOWNLIGHT RECESSED 8,8W 3000K 24° RA90 IP55 BLACK

NOT DIMMABLE FEEDER KIT


TR87500580 LC 10W 250mA fixC SR SNC

DIMMABLE FEEDER KIT

TR28000673 LCA 10W 150-400mA one4all SC PRE

TR28001106 I-SELECT 2 PLUG 250MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE



polo ° IP55 LUMINAIRE

qbo

Luminaria LED IP55. Downlight empotrable, orientable.
Módulo de LED IP55 incluido. LED MODULE IP44 disponible.

IP55 LED luminaire. Orientable recessed downlight. IP55 LED module included. IP44 LED MODULE also available.



12,2W (1170lm)

COD.	DESC.
POLODEOR1223024900055	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 WHITE
POLODEOR1223024900955	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 BLACK
POLODEOR122302490010055	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 ALUMINIUM-WHITE
POLODEOR122302490020955	POLO DOWNLIGHT RECESSED ORIENTABLE 12,2W 3000K 24° RA90 IP55 BRASS-BLACK

NOT DIMMABLE FEEDER KIT

TR87500572 LC 15W 350mA fixC SR SNC

DIMMABLE FEEDER KIT

TR28000674 LCA 17W 250-700mA one4all SC PRE

TR28001110 I-SELECT 2 PLUG 350MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE

8,8W (840lm)

COD.	DESC.
POLODEOR883024900055	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 WHITE
POLODEOR883024900955	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 BLACK
POLODEOR88302490010055	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 ALUMINIUM-WHITE
POLODEOR88302490020955	POLO DOWNLIGHT RECESSED ORIENTABLE 8,8W 3000K 24° RA90 IP55 BRASS-BLACK

NOT DIMMABLE FEEDER KIT

TR87500580 LC 10W 250mA fixC SR SNC

DIMMABLE FEEDER KIT

TR28000673 LCA 10W 150-400mA one4all SC PRE

TR28001106 I-SELECT 2 PLUG 250MA BL

TR28001168 ACU SC 43x30mm CLIP-ON SR SET e4all SC PRE

